

Glamatic™

HFE SETUP



AN EXTENSIVE RANGE OF HOSPITAL FURNITURE SETUP

 glamaticpharma.com





ICU BED-DELUX (Electric)



Description :

- Advance Linear Actuator system 04 Pcs Motor, 01 Pc Control Box, 01 Pc Handset.
- Four Pieces individual side rails, ABS Moulded.
- ABS Moulded Head and Foot panel with locking and corner buffer. Frame work made of Rectangular M.S. Tube.
- 4 section top made up of Oval perforated CRCA MS Sheet. Bed Mounted on 5" Dia Castor.
- Holder for Urine bag.
- S.S. Telescopic IV Rod with 4 Locations
- Overall Approx Size: 2090L x 910W x 460-700H MM.
- Finish : Pretreated & Epoxy Powder Coated
- Positions obtained by hand Remote : Hi-Low , Backrest elevation, Kneerest elevation, Trendlenburg / Reverse trendlenburg



ICU BED 5 FUNCTION (Electric)



Description :

- Advance linear actuator system [04 pcs motor, 01 pc control box, 01 pcs handset]
- Overall approx. Size: 81"X 35"X 20.5" -35H inch
- Motorised backrest, knee rest, HI - LOW adjustment, Trendelenburg and reverse Trendelenburg.
- Angle indicator on side railing
- Polymer moulded head and foot panels that easily removable without using any tools.
- Four pieces individual Butterfly side-rails, ABS Moulded.
- Heavy Type ABS moulded head and foot panel with locking and corner buffer.
- Framework made-up of M.S. tubes.
- 4 section top made-up of oval perforated CRCA M.S. sheet.
- Bed mounted on 5" castors, with 2 brakes.
- S.S. telescopic I.V. rod with 4 locations.
- Integrated urine bag holder
- SS heavy duty iv pole
- Sitting position adjustable.
- Finish: pre-treated seven tank hot phosphate & epoxy powder coated.
- Positions obtained by hand remote
- with nurse control system
- Optional : ICU Bed Mattress



ICU BED 10 FUNCTION (Electric)



Description :

- Overall approx. size : L 82" x W 35" x 21 - 33" H
- Advance linear actuator system [04 pcs motor, 01 pc control box, 01 pcs handset]
- Four pieces individual imported butterfly side Railings, abs moulded with father touch panel. Instant CPR release degree show function at bed rail.
- Imported abs moulded head and foot panel
- Feather touch nurse control panel
- Lower structure covered by fibre moulding.
- Bed mounted on 5" imported castors with central locking system..
- Holder for urine bag.
- Finish: pre-treated seven tank hot phosphate & epoxy powder coated.
- Five positions obtained by hand remote
- Battery backup up to 1 hour
- Framework made-up of m.s. tubes 1.6mm thickness
- Manual CPR lever.
- 4 section top made-up of oval perforated CRCA M.S. sheet.
- S.S. telescopic I.V. rod with 4 locations.
- Sitting position adjustable.
- Colour option Blue & Beige



ICU BED-DELUX (Manual)



- OVERALL SIZE: 2300mm LX 1050mm W X 550mm-800mm • H (Adjustable) • H (Adjustable)
- SUITABLE SIZE FOR MATTRESS: 1980mm LX 890mm W Four section perforated CRCA sheet top.
- Backrest, Knee rest, Trendelenburg, Reverse
- Trendelenburg & Height Adjustable operated by screw and lever mechanism with four separated S.S. folding handles.
- ABS head & Leg Bow. • A pair of new design collapsible railing.
- Four heavy duty swivel castors (two with brake). Saline rod. • Pretreated and epoxy powder coated.

Description :

- Advance Linear Actuator system 04 Pcs Motor, 01 Pc Control Box, 01 Pc Handset.
- Four Pieces individual side rails, ABS Moulded.
- ABS Moulded Head and Foot panel with locking and corner buffer. Frame work made of Rectangular M.S. Tube.
- 4 section top made up of Oval perforated CRCA MS Sheet. Bed Mounted on 5" Dia Castor.
- Holder for Urine bag.
- S.S. Telescopic IV Rod with 4 Locations
- Overall Approx Size : 2090L x 910W x 460-700H MM.
- Finish : Pretreated & Epoxy Powder Coated
- Positions obtained by hand Remote : Hi-Low , Backrest elevation, Kneerest elevation,

FOWLER BED (ELECTRIC)



FOWLER BED (ELECTRIC)



Description :

- Advance linear actuator system (02 Pcs Motor, 01 Pc Control box, 01 pcs Handset)
- Overall Approx.size: 80L X 35W X 24H inch.
- Two pieces individual detachable collapsible aluminium side-railings.
- Imported ABS Moulded Head and Foot Panel with locking and corner buffer.
- Framework Made-up of M.S Tubes.
- 4 Section top made -up of oval perforated CRCA M.S Sheet.
- Bed Mounted on 4" castors, 2 with brakes.
- Finish : Pre-treated seven tank hot phosphate & Epoxy Powder coated.
- Bed is electric operated positions obtained by remote control.

FOWLER BED (MANUAL)



Description :

- ABS molded Head and Foot panel with locking and corner buffer.
- A pair of New Design Collapsible Side railings (1320mm long). -Frame work made of Rectangular M.S. Tube
- Four section top made up of Oval perforated CRCA MS Sheet. Bed Mounted on 4" Dia Castor. 2 with brakes.
- Four Location for IV Rod.
- Overall Approx Size: 2200mm L x 1050mm W x 610 mm H.
- Finish: Pretreated & Epoxy Powder Coated
- Positions obtained by Screw & Lever mechanism with
- S.S. foldable handles:
- 1.Backrest elevation 2.Kneerest elevation

 glamaticpharma.com





FOWLER BED (MANUAL)



Description :

- Four Pieces individual Butterfly side-rail, ABS Moulded.
- Overall Approx. Size: 78"L X 35"W X 22H inch.
- Heavy ABS Head and Foot Panel.
- Framework made-up of M.S. Tubes.
- 4 section top made-up of oval perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, with 2 brakes.
- Four Locations for I.V.Rod.
- Finish: Pre-treated seven tank hot phosphate & Epoxy Powder Coated.
- 9. Positions Obtained by Smooth crank system with foldable handle.



SEMI FOWLER BED (ELECTRIC)



Description :

- Advance linear actuator system [01 Pcs Motor, 01 Pcs Control box, 01 Pcs Handset]
- SS Laminated Wooden Head and Foot Panel
- Frame work made of Rectangular M.S Tube
- Framework made-up of M.S. Tubes.
- 2 Section Top made-up of oval perforated CRCA M.S. Sheet.
- Leg fitted with PVC Stumps.
- Four Locations for I.V. Rod
- Finish: pre-treated seven tank hot phosphate & Epoxy Powder Coated.
- Overall Size: 78"L X 35"W X 22H inch
- Positions Obtained by Hand Remote.
- Back rest elevation

Optional: Semi Fowler bed Mattress, collapsible side railings, Wheels.

glamaticpharma.com





SEMI FOWLER BED (MANUAL)



Description :

- Overall Size: 78"L X 35"W X 22H inch
- Frame work made of rectangular M.S tube.
- 2 section Top made of perforated CRCA M.S Sheet.
- Back Rest Section operated by Screw Handle from Foot end
- Tubular Head & Foot bows of unequal height with vertical bars support.
- Uring Bag Holder.
- Locations for four I.V Rod
- Finish: Finish: pre-treated seven tank hot phosphate & Epoxy Powder Coated



SEMI FOWLER BED (MANUAL)



Description :

- Frame work made of Rectangular M.S Tube
- Two individual Imported heavy type ABS Butterfly side railings.
- 2 Section top made of perforated M.S Sheet.
- Back Rest Section, manufactured by Screw Handle from Foot End
- Matsu Head & Foot Panels.
- Four Locations for I.V Rod
- Overall Size: 78"L X 35"W X 22H inch
- Finish: Finish: pre-treated seven tank hot phosphate & Epoxy Powder Coated



Optional Head & Leg Bows

PLAIN BED

- Size: 1900mm x900mm x550mm H
- Plain bed uniformly perforated.
- 1 Section top in 20 swg CRCA sheet. Easily detachable SS Head and Foot end bows.
- Foot Stumps at Every Four Legs.



PLAIN BED

Specifications :

- Sizes : 1980 mm L X 910 mm W X 610 mm
- Mattress size : 1910 mm LX 900 mm W

Features:

- Fixed type bed
- Mosquito pole arrangement
- Mounted on rubber shoe
- Finish with paint
- Vertical support Description:



ATTENDANT BED

Description :

- Overall size: 180L X 60W X 46H cms.
- Framework Made-up of Rectangular /Square M.S Tubes. 5cm foam padded fixed mattress covered with rexine Legs fitted with PVC Stumps.
- Finish: Pretreated & Epoxy Powder Coated.



ATTENDANT BED

Description :

- Frame work made of rectangular M.S tube. Fitted with perforated CRCA sheet top SS/MS tubular Head & Foot Bows.
- Legs fitted with PVC stamps.
- Overall Size: 167L X 60W X 40H cms. Epoxy Powder Coated.

 glamaticpharma.com



TRACTION BED



- 4 Fold Traction Table offered comes in precision designed & constructed finish and provides suitable support for cervical and lumbar traction therapy involving application of mechanical force on cervical/lumbar traction.
- The smooth working action of the system allows providing desired relief from issues like muscle spasms as well as also provide for pain relief by improving blood circulation and assisting in repair of soft tissue damage.
- Some of its features include helps in subsiding of inflammation
- Helps in releasing soft tissue adhesion
- Aids in correcting spinal joints post micro abnormal changes to spine;
- support resetting micro-dislocation and restoring normal physiological curvature of spine



PEDIATRIC BED

Product details :

- Size 180L x 75W x 60H cms

Product description :

Features :

- Uniformly Perforated CRCA Sheet Top
- Frame made of Strong Rectangular CRCA pipe
- Finish with paint
- Tubular Head and Foot Bows of Equal Height with vertical Tube Supports Pre-Treated and Epoxy Powder Coated



ELECTRIC DIALYSIS BED CUM CHAIR

Description :

- Shock position adjustment - continuous, electric with hand switch
- Width - 600 mm Height - 580 mm/680 mm with castors
- Length - 1820 mm (back section 800 mm, seat section 470 mm, leg section 550 mm)
- Maximum load - 200 kg
- Product weight - 80 kg
- Upholstery thickness - 90mm comfort upholstery

 glamaticpharma.com



LABOUR DELIVERY BED (ELECTRIC)



Description :

- Overall Size: 1981mm x 965 mm (L x W) (Bed when fully extended) Mattress Platform: 1880 mm x 660 mm (L x W) as well as also provide for pain relief by improving blood circulation and assisting in repair of soft tissue damage.
- Minimum Height: 673 mm 26.5
- Maximum Height: 952 mm. 37.5
- Three section top made of laminated board
- User friendly handset for electrically adjustments of backrest, height and trendelenburg / Reverse trendelenburg.
- Leg section can be telescoped under backrest for lithotomic positions
- Easily removable ABS moulded head boards
- Split away type ABS moduled safety side rail on each side can be easy lowered to aid in both routine and emergency nursing tasks
- Stainless Steel bearing down supports with hand grip
- A pair of upholstered lithotomic crutches mounted on stainless steel rods 125 MM Central locking castors
- Stainless Steel telescopic I.V. pole
- Stainless Steel Tray
- Three Section mattress
- All mild steel parts are pre-treated and powder coated finish



LABOUR DELIVERY BED (HYDRAULIC)

Product description :

- Overall Size: 74L X 26W X 24-31H inch.
- Tabular Frame Work mounted on 125mm dia castor two with brakes.
- Three sections top made of M.S Pipe with fixed cushioned mattress.
- Trendlenburg / Reverse Trendlenburg Positions adjustment through Gear Mechanism.
- Height adjustment through Imported Hydraulic pump.
- Back section Adjustment through ratchet system.
- Leg end section can slide under the main section.
- Provide with a pair of Upholstery Lithotomic Positions.
- S.S Telescopic I.V Rod
- Detachable S.S Tray.

 glamaticpharma.com





IV STAND

Features :

- Height adjustable 1050 mm to 1950 mm
- Base covered with SS sheet
- Height adjustment knob
- Mounted on plastic castor
- High strength
- Durable
- Stain resistance
- Customized usability
- Available in SS & MS



MATTRESS





INSTRUMENT TROLLEY

Features :

- MS/SS frame work · MS/SS rod for railing
- Wholly SS/SS Top
- Mounted on 50 mm/100 mm D.B. Castor
- Finish with heavy polish/paint
- Available Sizes- 30"x18"x32" 36"x24"x32"



DRESSING TROLLEY

Description :

- Overall size: 180L X 60W X 46H cms.
- Framework Made-up of Rectangular /Square M.S Tubes. 5cm foam padded fixed mattress covered with rexine Legs fitted with PVC Stumps.
- Finish: Pretreated & Epoxy Powder Coated.



MEDICINE TROLLEY

SPECIFICATIONS :

- Size: 660mm LX 457mm W X 812mm H
- Full Stainless Steel frame
- Stainless Steel Two Drawer Vertical Trolley with rails 100mm grey rubber castors.



MEDICINE TROLLEY

- Frame work of MS Tubular/Square pipe.
- Mounted on 10cms castors,
- Two SS shelves with guard railing on both shelves
- Two MS drawers under the each shelf.
- Pretreated and epoxy powder coated.



MEDICINE/DRUG TROLLEY

Description :

- SS frame work SS shelves.
- Wholly SS/SS Top
- 6 Modular Drawers.
- Finish with heavy polish/paint
- 1 SS Drawer at the bottom. 100mm imported castors.



SERVICE TROLLEY

Description :

- Size-H36 inch X 40 inch.
- Main frame built in argon welded 16G SS pipe. 4" PVC swivel castors and zinc finish.
- Unit made from 304/202 Grade Stainless Steel.



UTILITY TROLLEY

Description :

- M.S frame work
- S.S shelves
- One M.S Drawer
- 100mm castors.



MAYO TROLLEY

Specifications :

- Size: 810mm L X 355mm W
- Height: Adjustable 810mm to 1110mm

Features :

- MS/SS square and round construction
- Top tray SS (quality of '304')
- Mounted on 50 mm D.B. Castor
- -Finish with paint or high quality polish



SUTURE TROLLEY

Description :

- Body made of MS/SS CRCA Sheet
- 4 anti rust wheels of 5" diameter provided
- Push handle provided
- 20 molded medicine racks provided
- SS Shelf provided
- Powder coated finish/polish finish



ANAESTHESIA TROLLEY

- ABS body
- metal ball bearing rail
- A-Aluminium columns
- IV Pole,needle disposal holder(optional);
- Dust basket,utility container,file bag,multi bin container,sliding side shelf, stainless steel guard rail,concave top covered with transparent soft plastic glass, centralized lock,2 small & 3 big drawer,inner with partitions can be well organized.Drawers repositioned easily.
- Luxurious Size: 850 X 520 X 950 mm



CRASH CART TROLLEY

Description :

- Overall Approx. Size: 940mm LX490mm WX1535mm H.
- M.S/ SS tubular frame.
- Six removable plastic bins and two polystyrene lockable storage units with three drawers each.
- Four swivel Castors, 100mm dia. (Two with Brakes.)
- Complete with corner bluffers,oxygen cylinder holder, S.S IV Rod,S.S Top and electric lamp.
- Epoxy Powder Coated.

 glamaticpharma.com





LAPAROSCOPY TROLLEY

- OVERALL SIZE : 800mm L X 600 mm D X 1400H.
- SPECIFICATIONS : 4 Shelf one drawer.
- Trolley having two handle
- The trolley mounted on 125 mm dia.
- Castor two with brakes.
- Swith & socket for medical equipment
Supplied with ss I.V.
- Rod and M.S O2 cylinder cage
- Finish : Pretreated & epoxy powder coated paint
- Available with Keyboard Tray And Extra Shelves at Extra Cost.

ECG TROLLEY



Product description:

- Size: W 22" x D 18" x H 30"
- 100mm Dia.
- castors and Cable Ha 1 ss top tray, bottom MS tray Pre-treated & Epoxy powder coate.
- Available in Stainless Steel / Powder coated frame with S.S. top



Product description :

- W 355mm x D 480mm x H 665mm
- 4 trays, 50/100mm Dia.
- castors and Cable Hanger
Pre-treated & Epoxy powder coated
Available in Stainless Steel / Powder coated frame with S.S. top.



SWAB RACK TROLLEY

- Size: 810mm L X 355mm W Full SS trolley with eight tubular rows with hooks.
- Removable drip tray at the bottom
- Mounted on four swivel castors, two with locks.
- Overall Dimension 762 L x 508 W x 1524 H



STRETCHER TROLLEY

Specifications : • Size: 1980 mm L X 560 mm W X 820 mm H

Features :

- MS/SS tubular frame work
- Top MS/SS quality of '304'
- Saline stand (SS rod) arrangement
- Swivel castor 100 mm or 125 mm D. B. castor
Finish with powder coated paint/polish
- Available in Full Stainless Steel, Full MS & MS
Body With SS Top.



PATIENT TROLLEY

- Also available in complete stainless steel

Description :

- Overall Approx Size: 180L X 56W X 81h cms.
- Frame work made of Tubular M.S Pipe with S.S handle
- Swing Away type Safety Side Railing
- Adjustable I.V Road, Utility Tray, Cylinder Cage Foam Padded t
Trolley mount on 125mm Dia castors-Two with Brakes
- Finish : Pretreated & epoxy powder coated paint



EMERGENCY & RECOVERY TROLLEY

Adjustment facility of Height, Back Section, Trendelenburg /Reverse Hydraulic pump and gas spring assisted movement.

X-Ray permeable top with x-ray cassette holder

Drop side railing and safety belts, IV rod, oxygen cage and utility tray

Removable stretcher mounted on individual locking castors

Overall Dimension : 2136L x 610 W x 635-890 H



STRETCHER TROLLEY DELUX

Specifications :

- Size : 1980 mm LX 560 mm W X 820 mm H
- Features : MS tubular frame work Top SS quality of '304'
Saline Rod, Utility Tray, Oxygen Case, Safety Rails.
Swivel castor 100 mm or 125 mm D. B. castor
Finish with powder coated paint/polish
- Available in Full Stainless Steel.

 glamaticpharma.com





FOOD SERVING TROLLEY

Description :

- **Material** : Stainless Steel
- **Color** : Silver
- **Delivery Time** : 5-7 Working Days
- **Finishing Type** : Stainless Steel
- **Power Source** : Electric
- **Ss Grade** : 304 SS
- **Wheel Type** : Modern

SS 304 Food Serving Trolley & Customisation is possible. Offering you a complete choice of products which include ss hot food trolley, ss linen trolley, ss bussing trolley, ss304 hot food trolley, jkehot01 hospital food trolley and ss tray rack trolley.



WASTE BIN TROLLEY

Description :

- One, Two, Three and Four Compartment waste segregation system.
 - Stainless Steel trolley on castors
 - Foot operating system for opening of lid
 - Bins can be interchanged as and when required
 - The bins comply UN & NFX standards of safety.
 - Autoclave-able and environment friendly
 - Reusable plastic bins as per BMW colour coding
- Available Bin Size 30 Ltrs.



LINEN TROLLEY

Description :

- **Size** : 500 mm
- MS/SS round construction
- MS/SS flat for support
- Canvas fitted with round
- Mounted on 100 mm D.B. Castor
- Finish with powder coated/heavy polish.



SOILED LINEN TROLLEY

Description :

- Push handle at one end
- Frame work of SS tube on 4" castor
- Superior quality plastic bucket
- Pre-treated and Epoxy powder coated
- Mounted on 100 mm D.B. Castor
- Also available in S.S Frame
- Complete in S.S Frame

 glamaticpharma.com





LINEN TROLLEY WITH CANVAS

Description :

- Frame work of CRC tube mounted on 10cms castor.
- Superior quality canvas bag
- Pre-treated and Epoxy power coated finish.
- Also available in **MS Structure**



RECTANGULAR LINEN TROLLEY

Description :

- Big full SS trolley to collect solid linen in a canvas bag
- Which covers specially useful to collect solid linen of Operation Theater
- Solid bag is supported by number of horizontal tube. 4" castors with 2 brakes



BABY BASINET TROLLEY

Technical Specification :

- Mobile basinet cot for neonates
- Cart on 4 swivel castors,
- Approx. dia. 100 mm, 2 castors with brake
- Baby Tray with mattress, along with head up/down facility and X-ray cassette holder
- Mattress density approx. 21-25 kg/m and with removable, washable, waterproof covers
- 6mm thick - Transparent acrylic,
- Drop down and lockable side panels
- Two shelves below baby bed for under surface phototherapy and storage.



OXYGEN TROLLEY

Description :

- Mobile on two fixed 10 cm.
- Castors.
- Pretreated, Epoxy coated finish.



JUMBO O₂ TROLLEY

Description :

- MS trolley for holding and transporting
- Single or multiple gas cylinders
- MS/SS flat for support
- Mounted on wheels



DIATHERMY TROLLEY

Description :

- Trolley fully made mild steel with under basket with slidding tray
- Trolley mounted on 4" 4pcs castor wheel with break
- Size : 18W x 16L



MONITOR TROLLEY

Description :

- Tray made of aluminum alloy, Base & Pipe made of mild steel sheet.
- With aluminum basket under tray. stand on 5 pcs of wheels with brake.
- Size : 11W x 12L



LABOUR TABLE FIXED

Size : 1830mm L X 690mm / 760mm W X 810mm H

Features :

- MS tubular construction. Cover with SS quality of '304'.
- Leg end 'U' cut.
- Lithotomy arrangement, with belt.
- Finish with powder coated paint.
- AVAILABLE IN FULL SS also.



3 FOLD O.T. TABLE (GYNAE CUT)

Specifications: :

• Size: 1880 mm L X 680 mm W X 820 mm H

Features :

- MS tubular frame work
- Lithotomy arrangement with belt
- Head & leg adjustment on ratchet
- 50 mm swivel castor & rubber shoe
- Pre treated and finish with powder coated paint
- Available in SS Top & Full SS



Also Available in Gyane Cut

EXAMINATION TABLE

In order to meet the particular demands of the customers, we are providing the customized Examination Table. These tables are available with the two sections and adjustable flap. These Examination Tables are manufactured using high quality material like MS steel pipe, stainless steel pipe.

Specifications:

Overall size: 1830 mm L X 610 mm W X 760 mm H

Features : Head side adjustment 75° up on ratchet

MS tubular construction

CRCA sheet top

Mounted on rubber shoe

•Finish with paint



EXAMINATION COUCH

Overall approx. size: 187 (L) x 51 (W) x 81 (H) Adjustable backrest by crank mechanism/gas spring. Two section foam padded, upholstered top

Three drawers

Three cabinets

Tray for B. P. apparatus

Foot Step

Pre treated & epoxy powder coated

 glamaticpharma.com





PATIENT FOOD TABLE

- Food Table with height adjustment by gas spring.
- Single section moulded top.
- Mounted on swivel castors
- Overall Dimension Top 812L x 406, 610~1015 H



PATIENT FOOD TABLE

Description :

- Rectangular frame work mounted on 5 cms castors
- 30" x 16" ABS Top, adjustable by Gear Mechanism.
- **Finish** : Pre-treated and Epoxy Powder Coated.



MSI-2065

PATIENT FOOD TABLE

Description :

- Rectangular frame work mounted on 5 cms castors
- 30" x 16" laminated top adjustable by Gear Mechanism
- **Finish** : Pre-treated and Epoxy Powder Coated.



PATIENT FOOD TABLE

Description :

- Rectangular frame work mounted on 5 cms castors
- 30" x 16" laminated top adjustable by side knob
- **Finish** : Pre-treated and Epoxy Powder Coated.



OVER BED TABLE (ABS TOP)

Size of 810 mm L X 410 mm W

Features :

- Ms round structure
- Abs top
- 30 mm high durable ABS top
- 50 mm Castor
- Finish with powder coated paint

 glamaticpharma.com





TILT TABLE MANUAL

This Tilt table manual offers a smooth and quiet tilt function and manufactured using superior quality raw material as per the set industry standards and norms. Moreover, the Tilt table Manual offered in various specifications to meet the variegated requirements of our clients and doctors.



BABY COT

Specifications :

- Size: 710 mm LX 410 mm W X 810 mm H

Features :

- MS round construction
- Rod for vertical support
- Mosquito pole arrangement
- Mounted on rubber shoe
- Finish with paint



BABY CRIB COT

Specifications :

- Size: 710 mm LX 410 mm W X 810 mm H

Features :

- SS round construction
- Rod for vertical support
- Mosquito pole arrangement
- Mounted on rubber shoe
- One Side Drop Ralling
- Finish with Polish



BABY CRADLE

Features :


- Frame Made of CRCA MS/SS tube
- Cradle made of MS/SS wire
- On PVC shoes
- **Dimension** : 900 L x 375 W x 975 H mm approx
- Pre-treated and Epoxy Powder Coated/ Polish



AMBULANCE STRETCHER

Description :


· Light weight, strong structure, lovely design. Good art and crafts, easy antiseptic, small size, convenient to use. Utilizes high precision mechanical transmission. Can be used automatically folded through the left and right hand control handle. Made of high quality aluminium alloy tubes. Dimensions: A- High Position : 1900 X 560 X 900mm
B-Low position : 1900 X 560 X 280 mm
Load Weight: up to 120 kg. Product weight: 40 kg. Diameter of the castors: 125 mm. Applicable for various kind of hospitals, emergency centers, ambulances and battle fields



FOLD STRETCHER

Description :

Product Size (LXWXH): 210 X 60 X 11 cm.
Net Weight: 6 kg
Dimension of the packing box: 60 X 58 X 25 cm. (5 Pcs./Box)
Gross Weight: 32 Kg
Available in 2 Fold & 4 Fold.



SCOOP STRETCHER

It is made of high-strength aluminum alloy materials. It characterised by its being light-weighted, small-sized, easy-carried, use-safety and easy for sterilization and clean. It's separable-type emergency stretcher for ambulance to transfer fractured & serious patients. Product size: 164*43*8cm(min), 201*43*8cm (max.), Net weight: 8kg, The bearing pressure: <159kg, Dimension of the packing box: 123*45*11cm, Gross weight: 11Kg.
Spine Board
The stretcher (spine board) is made of PE plastic this spine board is enduring, anti-ageing, good weight loading capacity and it is X-ray compatible as well. It comes with safety belts. It can be used with head immobile at the same time. It's mainly used for hospitals, sports, ambulance and outdoors carrying patients and wounded person.
Size: 184 x 45 x 7 cm
loading weight 159Kgs, Net weight 7.5 kgs.



STAIR STRETCHER

This Aluminum Stair Chair is designed to transport patients through tight spaces and up or down stairs, safely and efficiently. The sturdy aluminum frame is strong enough to hold up to 150 K.G., yet surprisingly lightweight. Three adjustable straps with quick-release buckles ensure the patient's comfort and safety. Non-slip grips on the rear and front handles help rescuers.

 glamaticpharma.com





DELUX LOCKER

These Deluxe Bedside Lockers are ideally placed at the bedside so that all the stored products remain within the reach.

Specifications :

Size : 410 mm square

Height: 810 mm

Features :

- CRCA sheets enclosed on three side having one drawer and one box
- SS top quality of '304' with raised edge on three sides
- Mounted on 50 mm D.B. castor
- Finish with paint



BEDSIDE LOCKER

Specifications :

Size : 410 mm square

Height: 810 mm

Features :

- MS square/round construction
- CRCA sheet box
- Machine pressed top
- Covered with SS/Aluminum
- Finish with paint



DELUX LOCKER (ABS)

Product information :

- **Dimensions** : L480mm*W480mm*H760
- **Packing size** : L500mm*W500mm*H780mm
- **Packing** : carton packaging
- **Net weight** : 12kg
- **Gross weight** : 13.5kg
- Overall made of ABS engineering plastic
- **Standard accessories** : 1 drawer, 1 cabinet, 1* towel rack on the side
- **Optional** : 4*universal casters



SEMI-DELUXE LOCKER

Specifications :

Size : 410 mm square

Height : 810 mm

Features :

- MS square construction
- CRCA sheet box
- Machine pressed top
- Covered with SS Top
- 1 Drawer
- Finish with paint



DELUX LOCKER (LITE)

Specifications :

Size : 410 mm square

Height : 810 mm

Features :

- CRCA sheets enclosed on three side having one drawer and one box
- ABS top quality of with raised edge on four sides
- Cabinete Door is ABS, And Drawer Cover is ABS
- Mounted on 50 mm D.B. castor
- Finish with paint



INSTRUMENT CABINATE

Specifications :

Size : 610 mm LX 410 mm W X 1520 mm H

Features :

- 5 Shelves
- MS angle construction
- Top and behind side covered with CRCA sheet
- Both sides fitted with glass
- Lockable handle
- Finish with paint



BEDSIDE SCREEN (3 FOLD)

Specifications :

- Three fold screen with curtain.
- Pretreated epoxy finish.
- Overall size : 228w X 174h cm. Castors dia 5cm.



BEDSIDE SCREEN (4 FOLD)

Specifications :

- Four fold screen with curtain.
- Pretreated epoxy finish.
- **Overall size** : 228w X 174h cm. Castors dia 5cm.



BABY COT

Specifications :

- Size: 710 mm LX 410 mm W X 810 mm H

Features :

- MS round construction
- Rod for vertical support
- Mosquito pole arrangement
- Mounted on rubber shoe
- Finish with paint



BABY CRIB COT

Specifications :

- Size: 710 mm LX 410 mm W X 810 mm H

Features :

- SS round construction
- Rod for vertical support
- Mosquito pole arrangement
- Mounted on rubber shoe
- One Side Drop Railing
- Finish with Polish



BABY CRADLE

Features :

- Frame Made of CRCA MS/SS tube
- Cradle made of MS/SS wire
- On PVC shoes
- **Dimension** : 900 L x 375 W x 975 H mm approx
- Pre-treated and Epoxy Powder Coated/ Polish



3 Legs



4 Legs



4 Legs (SS)

REVOLVING STOOLS

Specifications :

- Size : 304 mm dia
- Height : 228w X 174h cm. Castors dia 5cm

Features :

- MS/SS round frame work
- Rod for support
- SS Top / Full SS
- Mechanism screw for up/down adjustment
- Mounted on rubber shoe
- Finish with Powder coated paint/polish.



REVOLVING STOOLS

Description :

- Four legs full SS
- HT: 18-39inch (Screw adjt.) SS top dia: 30cm.



REVOLVING STOOLS CUSHION

Description :

- Height adjustable cushioned seat
- 5 legs base on castor



REVOLVING STOOLS

Description :

- Three legs, S.S top pretreated epoxy coated finish.
- Ht: 18-39inch (Screw Adj.) S.S Top Dia: 30cm



ATTENDENT STOOL

Description :

- Full SS square tubular framework
- SS top: 11/11 inch.
- Height : 18inch

 glamaticpharma.com





ATTENDENT STOOL

Features :

- MS/SS round frame work
- SS Top / Full SS
- Mounted on rubber shoe
- Finish with Powder coated paint / polish.



FOOT STEP

Specifications :

- Single size : 254 mm LX 225 mm W
- Double size : 254 mm L X 225 mm WX 457 mm H

Features :

- Square/round frame
- CRCA sheet top
- Rod for support
- Aluminium channels for anti-slip
- Mounted on rubber shoe
- Pretreated and epoxy powder coated finish



WAITING AREA CHAIR (3 SEATER)

Features :

- Three seating chair.
- Mild steel frame work.



MONITOR STAND

Description :

- Made in Aluminium Extrusion.
- **Movement** : Up and down, Left and right turn.
- Meet Most of the brand.
- **Finish** : Powder coated or Anodis.



SYRINGE PUMP STAND

Description :

- The stands comes with 4 adjustable shelves to hold syringe pumps.
- Provided with electrical connections at the bottom of the stumps, where all the 4 pumps can be plugged at a time.
- Complete stand on mobile with 50mm dia castors.



WHEEL CHAIR

Description :

- **Material** : steel pipe with powder coating finished.
- With toilet pan
- 8" forward wheel.
- 24" after wheel with break.
- Seat inner width : 40cm.
- Seat inner depth : 41cm.
- Seat height : 50cm.
- Back rest height : 41cm.
- Otal height : 92cm



X-RAY VIEW BOX SINGLE

Description :

- The stands comes with 4 adjustable shelves to hold syringe pumps.
- Provided with electrical connections at the bottom of the stumps, where all the 4 pumps can be plugged at a time.
- Complete stand on mobile with 50mm dia castors.



BABY TRAY

Size :

- 18" x 12" x 3" (Pressed)
- 19.75" x 15.75" x 3 (Fabricated)



INSTRUMENT TRAY

Size :

- 8" x 6" 9" x 6"
- 10" x 8"
- 11" x 7"
- 11" x 9"
- 12" x 8"
- 12" x 9"
- 12" x 10"
- 14" x 10" 15" x 12"
- 18" x 12" 8"x12"x3"



KIDNEY TRAY

Size :

- 6", 8", 10", 12"



CIDEX TRAY

Size :

- 27"x7"x6" (lock) 27"x7"x5"



DRESSING DRUM

Size :

- 15"x12"
- 13"x10"
- 12"x10"
- 11"x18"
- 11"x9"
- 9"x9"
- 9"x6"



CATHETER TRAY

Size :

- 8"x 3"
- 9"x3
- 16"x4"



Male & Female

BED PAN

Description :

- Our stainless steel bed pans are completely Resistant to stains & cracks.
- The unique design of the pan makes it comfortable to use for patients at hospitals and home.
- Available in different specifications at most competitive prices.



Male & Female

URINAL POT

Description :

- Our urinal pots are specially designed keeping the convenience of patient in mind.
- The design of the pot allows easily disposal of the collected urine.
- Made from heavy gauge stainless steel.
- These pots are absolutely rust free and very durable.



BOWL

Description :

- Sturdy basin with smooth and round corners.
- Designed for use in hospitals.
- Our basin have stainless steel body with smooth finishing.
- The complete range basins can be availed in different sizes based on the requirement of the clients.



BOWL STAND

Specifications :

- Size : 350 mm
- Height : 810 mm

Feature :

- MS/SS round structure
- Rod for round
- Mounted on 50 mm D.B. Castor Finish with paint/polish.



KICK BUCKET

Description :

- Frame work made of Stainless Steel tubes.
- Mounted on 50mm Castors

CERTIFICATION



Certificate of Registration
This is to certify that

GLAMATIC PHARMACEUTICALS PRIVATE LIMITED
Corp. Off. : 203, 2nd Floor, Mangalam Building Block A, 24, Hemanta Basu Sarani, Kolkata-700 001, West Bengal, India
Workshop : Wehal, Human Resource Development Centre P-1, Taratala Road (Beside Brace Bridge & ONGC), Kolkata-700 088, West Bengal, India

has been assessed and conforms to the requirements of Documentation of

WHO-GMP Good Manufacturing Practices
Applicable to:

Manufacturing, Supply and Branding of Medical Devices like ICU Ventilator, Patient Monitor, Syringe Pump, Infusion Pump, Bipap, ECG Machine, Nebulizer, Defibrillator, Dialysis Machine, Hflow, Oxygen Concentrator, Pulse Oximeter, Medical furniture, OT Light and OT table, Autoclave.

Certificate Number : VGMP-13101

Original Certification Date : 22/06/2020 1st Surveillance Due Before : 18/06/2024 Date on: Not For Due
 Revised Certification Date : 19/06/2023 2nd Surveillance Due Before : 17/06/2025 Date on: Not For Due
 Certificate Expiration Date : 21/06/2026

As per the rules of ISO 9001 is mandatory to get both 1st & 2nd surveillance audits done at least 90 days before the due date. If surveillance audit is not done then the date of next "1st & 2nd SURVEILLANCE DUE BEFORE" from the certificate shall become invalid on the due date. The client should send a proposed date for such surveillance audit at least 15 days before the due date at the email given below.





VNZ Quality Services Private Limited
DHS Corporate Centre, 3/A, Cathedral Garden Rd, Badliakhali, Thiruvananthapuram, Nungambakkam, Chennai, Tamil Nadu-600 034, India.
Website : www.vnzqs.com Email : contact@vnzqs.com, vnzqs2020@gmail.com



Certificate of Registration
This is to certify that the Quality Management System of

GLAMATIC PHARMACEUTICALS PRIVATE LIMITED
Corp. Off. : 203 2nd Floor, Mangalam Building Block A, 24, Hemanta Basu Sarani, Kolkata-700 001, West Bengal, India
Workshop : Wehal, Human Resource Development Centre P-1, Taratala Road (Beside Brace Bridge & ONGC), Kolkata-700 088, West Bengal, India

has been assessed and conforms to the requirements of:

ISO 9001:2015
for the following activities

Manufacturing, Supply and Branding of Medical Devices like ICU Ventilator, Patient Monitor, Syringe Pump, Infusion Pump, Bipap, ECG Machine, Nebulizer, Defibrillator, Dialysis Machine, Hflow, Oxygen Concentrator, Pulse Oximeter, Medical furniture, OT Light and OT table, Autoclave.

Certificate Number : 10266-QMS-1260

Original Issue Date : 30-Jun-2020
 Current Issue Date : 27-Jun-2023
 Expiration Date : 29-Jun-2026

1st Surveillance Due Before : 29-Jun-2024 Date on: Not For Due
 2nd Surveillance Due Before : 28-Jun-2025 Date on: Not For Due

As per the rules of ISO 9001 it is mandatory to get both 1st & 2nd surveillance audits done at least 90 days before the due date. If surveillance audit is not done then the date of next "1st & 2nd SURVEILLANCE DUE BEFORE" from the certificate shall become invalid on the due date. The client should send a proposed date for such surveillance audit at least 15 days before the due date at the email given below.





Bluestar Management Systems
Authorized by: Indian Accreditation Foundation, United States of America.
 IAF is an IAF AIA Applicant. The status of IAF being recognized accreditation body by International Accreditation Forum (IAF) will be valid on the date IAF is a signatory member to ISO 9001. The logo can be used upon accreditation.



Certificate of Registration
This is to certify that the Medical Devices-Quality Management System of

GLAMATIC PHARMACEUTICALS PRIVATE LIMITED
Corp. Off. : 203, 2nd Floor, Mangalam Building Block A, 24, Hemanta Basu Sarani, Kolkata-700 001, West Bengal, India
Workshop : Wehal, Human Resource Development Centre P-1, Taratala Road (Beside Brace Bridge & ONGC), Kolkata-700 088, West Bengal, India

has been assessed and conforms to the requirements of Documentation of

ISO 13485:2016
for the following activities

Manufacturing, Supply and Branding of Medical Devices like ICU Ventilator, Patient Monitor, Syringe Pump, Infusion Pump, Bipap, ECG Machine, Nebulizer, Defibrillator, Dialysis Machine, Hflow, Oxygen Concentrator, Pulse Oximeter, Medical furniture, OT Light and OT table, Autoclave.

Certificate Number : AQMS-13152

Original Certification Date : 22/06/2020 1st Surveillance Due Before : 18/06/2024 Date on: Not For Due
 Revised Certification Date : 19/06/2023 2nd Surveillance Due Before : 17/06/2025 Date on: Not For Due
 Certificate Expiration Date : 21/06/2026

As per the rules of ISO 13485 it is mandatory to get both 1st & 2nd surveillance audits done at least 90 days before the due date. If surveillance audit is not done then the date of next "1st & 2nd SURVEILLANCE DUE BEFORE" from the certificate shall become invalid on the due date. The client should send a proposed date for such surveillance audit at least 15 days before the due date at the email given below.





Acema Management Systems Pvt. Ltd.
10th Floor, 1001, Convent Road, 11 Street, Sakinaka, New Pimpri, Sakinaka Road, Sakinaka, Maharashtra-411 004, India.
Website : www.acema.com Email : info@acema.com



Certificate of Conformity
We confirm that the Technical Documentation for the device mentioned Product (Medical Devices & others of the CE Mark) according to the Council Directive 93/42/EEC as amended (2007/47/EC)

Products : Manufacturing, Supply and Branding of Medical Devices like ICU Ventilator, Patient Monitor, Syringe Pump, Infusion Pump, Bipap, ECG Machine, Nebulizer, Defibrillator, Dialysis Machine, Hflow, Oxygen Concentrator, Pulse Oximeter, Medical furniture, OT Light and OT table, Autoclave.

Manufactured by Company : **GLAMATIC PHARMACEUTICALS PRIVATE LIMITED**
Address : Corp. Off. : 203, 2nd Floor, Mangalam Building Block A, 24, Hemanta Basu Sarani, Kolkata-700 001, West Bengal, India
 Workshop : Wehal, Human Resource Development Centre P-1, Taratala Road (Beside Brace Bridge & ONGC), Kolkata-700 088, West Bengal, India

CE

Manufacturing, Supply and Branding of Medical Devices like ICU Ventilator, Patient Monitor, Syringe Pump, Infusion Pump, Bipap, ECG Machine, Nebulizer, Defibrillator, Dialysis Machine, Hflow, Oxygen Concentrator, Pulse Oximeter, Medical furniture, OT Light and OT table, Autoclave.

Certificate Number : VCE-13145

Original Certification Date : 22/06/2020 1st Surveillance Due Before : 18/06/2024 Date on: Not For Due
 Revised Certification Date : 19/06/2023 2nd Surveillance Due Before : 17/06/2025 Date on: Not For Due
 Certificate Expiration Date : 21/06/2026



As per the rules of ISO 13485 it is mandatory to get both 1st & 2nd surveillance audits done at least 90 days before the due date. If surveillance audit is not done then the date of next "1st & 2nd SURVEILLANCE DUE BEFORE" from the certificate shall become invalid on the due date. The client should send a proposed date for such surveillance audit at least 15 days before the due date at the email given below.





VNZ Quality Services Private Limited
DHS Corporate Centre, 3/A, Cathedral Garden Rd, Badliakhali, Thiruvananthapuram, Nungambakkam, Chennai, Tamil Nadu-600 034, India.
Website : www.vnzqs.com Email : contact@vnzqs.com, vnzqs2020@gmail.com

CERTIFICATION



Note



A series of horizontal dashed lines for writing notes.

Note



A series of horizontal dashed lines for writing notes.

Note



A series of horizontal dashed lines for writing notes.

Glamatic™



CONTACT US

Glamatic Pharmaceuticals Pvt Ltd

Corporate Office : 203, 2nd Floor,
Mangalam Building Block A, 24,
Hemanta Basu Sarani, Kolkata-700001

Contact : 033 22300178 / 9830726496

Email : glamaticpharma@gmail.com

Factory & Warehouse : HRD, WEBEL,
P-1, Taratala Rd, Beside Brace Bridge,
Taratala, Kolkata, West Bengal 700088

Contact : 9875624668

contact@glamaticpharma.com



www.indiamart.com/glamatic-pharmaceuticals

**Product Image may differ in appearance
from the actual product

 glamaticpharma.com

