


Electro Surgical Cautery



Digital Models

Glamatic's new microprocessor based electro surgical units are available in market with outstanding performance of monopolar (cut & Coag) & Bipolar. In many types of surgery where high precision & reliability are essential, microprocessor control provides the user safety & performance during surgery.

Salient Features

1. Display : 7 segment LED
2. Dimension : 290 Mm X 105 Mm X 260 MM
3. Weight : 4 Kg
4. Keyboard : Feather touch
5. Input Supply Voltage : 230Vac +15%@50/60HZ

01

Model :

**SMOOTH
400**



MONOPOLAR MODE

CUT

MODE	PROGRAMS	POWER	LOAD	OPERATING FREQ
PURE	99	400 W	500Ω	480 khz
BLEND 1	99	250 W	500Ω	480 khz
BLEND 2	99	200 W	500Ω	480 khz
ENDOCUT	99	99%	500Ω	480 khz

MONOPOLAR MODE

COAG

MODE	PROGRAMS	POWER	LOAD	OPERATING FREQ
SPRAY	99	120 W	500Ω	480 khz
FULGURATE	99	150 W	500Ω	480 khz
DESICCATE	99	150 W	500Ω	480 khz

BIPOLAR MODE

MODE	PROGRAMS	POWER	LOAD	OPERATING FREQ
SOFT	99	80 W	300Ω	480 khz
FORCE	99	80 W	300Ω	480 khz
CUT	99	100 W	300Ω	480 khz

Standard Accessories



CHUCK HANDLE
WITH **ELECTRODES**



BIPOLAR FORCEP
WITH **CABLE**



SILICON **PATIENT**
PLATE WITH CORD



**MONOPOLAR / BIPOLAR
FOOT SWITCH**



**DISPOSABLE HAND
SWITCH PENCIL**

*** ALSO AVAILABLE IN 250 WATT & 300 WATT**

Glamatic Pharmaceuticals Pvt Ltd

Corporate Office : 203, 2nd Floor, Mangalam Building

Block A, 24, Hemanta Basu Sarani, Kolkata-700001

033 22300178 / 9830726496

glamaticpharma@gmail.com



www.indiamart.com / glamatic-pharmaceuticals

glamaticpharma.com

