


Electro Surgical Cautery



Digital Models

Glamatic's new microprocessor based electro surgical units are available in market with outstanding performance of monopolar (cut & Coag) & Bipolar. In many types of surgery where high precision & reliability are essential, microprocessor control provides the user safety & performance during surgery.

 glamaticpharma.com



Salient Features

1. Display : 7 segment LED
2. Dimension : 290 Mm X 105 Mm X 260 MM
3. Weight : 4 Kg
4. Keyboard : Feather touch
5. Input Supply Voltage : 230Vac +15%@50/60HZ

01

Model :

**SMOOTH
400**



MONOPOLAR MODE

CUT

MODE	PROGRAMS	POWER	LOAD	OPERATING FREQ
PURE	99	400 W	500Ω	480 khz
BLEND 1	99	250 W	500Ω	480 khz
BLEND 2	99	200 W	500Ω	480 khz
ENDOCUT	99	99%	500Ω	480 khz

MONOPOLAR MODE

COAG

MODE	PROGRAMS	POWER	LOAD	OPERATING FREQ
SPRAY	99	120 W	500Ω	480 khz
FULGURATE	99	150 W	500Ω	480 khz
DESICCATE	99	150 W	500Ω	480 khz

BIPOLAR MODE

MODE	PROGRAMS	POWER	LOAD	OPERATING FREQ
SOFT	99	80 W	300Ω	480 khz
FORCE	99	80 W	300Ω	480 khz
CUT	99	100 W	300Ω	480 khz

Standard Accessories



CHUCK HANDLE WITH **ELECTRODES**



BIPOLAR FORCEP WITH **CABLE**



SILICON PATIENT PLATE WITH **CORD**

glamaticpharma.com





**MONOPOLAR / BIPOLAR
FOOT SWITCH**



**DISPOSABLE HAND
SWITCH PENCIL**



glamaticpharma.com

